EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	10	("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell))) WITH ((last OR final $9 OR end$6) NEAR3 (speech OR talk$4 OR speak$4))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/23 17:02
S4	28	("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) WITH ((last OR final$9 OR end$6) NEAR3 (speech OR talk$4 OR speak$4))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/23 17:24

| S6 | 67 | ("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) WITH ((last OR final$9 OR end$6) NEAR3 (user OR client OR data OR information OR active OR activity) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/23 17:34 |
| S7 | 45 | ("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) WITH ((last OR final$9 OR end$6) NEAR3 (user OR client OR data OR information OR active OR activity) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/23 17:37 |

S8	16	("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) WITH ((last OR final$9 OR end$6) ADJ3 (user OR client OR data OR information OR active OR activity) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/23 17:38
S9	41	("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) SAME ((last OR final$9 OR end$6) ADJ3 (user OR client OR data OR information OR active OR activity) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/23 17:38

| S13 | 12 | ("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) SAME ((last OR final$9 OR end$6) ADJ3 (speech OR talk$4 OR speak$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/23 18:10 |
| S17 | 36 | ("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) SAME ((after) ADJ3 (user OR client OR data OR information OR active OR activity OR voic$6 OR vocal$9 OR oral$9 OR verbal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/23 18:56 |

S18	16	("370"/$.CCLS.) AND (((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR (keepalive OR (keep$4 NEAR alive)) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) WITH ((after) ADJ3 (user OR client OR data OR information OR active OR activity OR voic$6 OR vocal$9 OR oral$9 OR verbal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/23 18:59
S20	250	("370"/$.CCLS.) AND ((maintain$4 OR (keep$4 NEAR alive) OR keepalive OR hold$4) NEAR3 reverse) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/24 19:16
S25	13	("370"/$.CCLS.) AND ((single OR one) ADJ2 (channel OR bandwidth OR (band NEAR width) OR capacity OR frequency) ADJ2 (both) ADJ2 (direction)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/24 19:23
S26	12	("370"/$.CCLS.) AND ((multicast$4 OR (multi NEAR cast$4) OR broadcast$4 OR (broad NEAR cast$4)) NEAR3 (tdd OR (time NEAR division$4 NEAR duplex $6))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/24 19:26

| S30 | 68 | ("370"/$.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment)) NEAR3 (transmi $9 OR send$4 OR sent OR forward$4 OR egress $4) NEAR3 (bs OR (base NEAR station) OR bsc OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/25 11:27 |
| S31 | 65 | ("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bsc OR msc OR smsc OR (mobile NEAR switch $4 NEAR center) OR server OR core) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/25 11:29 |

S34	123	("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bsc OR msc OR smsc OR (mobile NEAR switch $4 NEAR center) OR server OR core OR network) NEAR3 (transmi $9 OR send$4 OR sent OR forward$4 OR egress $4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 11:41
S35	90	("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bsc OR msc OR smsc OR (mobile NEAR switch $4 NEAR center) OR server OR core) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 11:44

| S36 | 145 | ("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/25 12:11 |
| S37 | 145 | ("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR btc OR bss OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core) NEAR3 (transmi $9 OR send$4 OR sent OR forward$4 OR egress $4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/25 13:03 |

S38	79	("455"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR btc OR bss OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core) NEAR3 (transmi $9 OR send$4 OR sent OR forward$4 OR egress $4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 13:04
S44	63	("370"/$.CCLS.) AND ((conferenc$4) SAME (tdd OR (time NEAR division$4 NEAR duplex$6))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 13:26
S45	35	("370"/$.CCLS.) AND ((silence OR silent OR paus$4 OR idl$4) WITH (tdd OR (time NEAR division$4 NEAR duplex $6))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 13:26
S48	22	("370"/$.CCLS.) AND ((tdd OR (time NEAR division$4 NEAR duplex $6)) SAME ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 13:30

S50	10	("455"/$.CCLS.) AND (((tdd OR (time NEAR division$4 NEAR duplex $6)) SAME ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/25 13:33
S54	20	("370"/$.CCLS.) AND ((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (receiv$4 OR receipt OR reception) ADJ3 (bs OR (base NEAR station) OR bts OR bsc OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/26 12:53
S55	12	("455"/$.CCLS.) AND ((((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (receiv$4 OR receipt OR	US-PGPUB; USPAT	OR	ON	2009/06/26 12:58

		reception) ADJ3 (bs OR (base NEAR station) OR bts OR bsc OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core)) AND @ad<"20021213"				
S60	16	("370"/$.CCLS.) AND (((keepalive OR (keep$4 NEAR alive)) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))).TI,AB. AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/26 13:25
S63	81	(370/259-266.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/26 17:34
S64	10	(455/416.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/26 17:54

| S67 | 40 | ("370"/$.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (receiv$4 OR receipt OR reception) ADJ3 (router OR switch OR gateway OR (gate NEAR way) OR gatekeeper OR (gate NEAR keeper))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:07 |
| S71 | 15 | ("370"/$.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (generat$4 OR originat$4) ADJ3 (router OR switch OR gateway OR (gate NEAR way) OR gatekeeper OR (gate NEAR keeper))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:12 |

| S72 | 64 | ("370"/$.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (receiv$4 OR receipt OR reception OR generat$4 OR originat$4) ADJ3 (router OR switch OR gateway OR (gate NEAR way) OR gatekeeper OR (gate NEAR keeper) OR manag$6 OR supervis$6)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:14 |
| S74 | 202 | ("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR btc OR bss OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core OR manag$6 OR supervis$6) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4 OR generat$6 OR originat$6) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:18 |

| S75 | 88 | ("455"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR btc OR bss OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core OR manag$6 OR supervis$6) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4 OR generat$6 OR originat$6) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:18 |
| S77 | 203 | ("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR btc OR bss OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core OR manag$6 OR supervis$6) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4 OR generat$6 OR originat$6 OR produc $4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:19 |

S78	88	("455"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR btc OR bss OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core OR manag$6 OR supervis$6) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4 OR generat$6 OR originat$6 OR produc $4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/29 19:20
S80	145	("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2009/06/29 19:21

| S83 | 19 | ("370"/$.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (generat$4 OR originat$4 OR produc$4) ADJ3 (router OR switch OR gateway OR (gate NEAR way) OR gatekeeper OR (gate NEAR keeper) OR manag$6 OR supervis$6)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:25 |
| S84 | 47 | ("370"/$.CCLS.) AND (((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (receiv$4 OR receipt OR reception) ADJ3 (router OR switch OR gateway OR (gate NEAR way) OR gatekeeper OR (gate NEAR keeper) OR manag $6 OR supervis$6)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2009/06/29 19:26 |

6/30/2009 3:04:20 PM
C:\ Documents and Settings\ jsmith1\ My Documents\ EAST\ Workspaces
\ app_10_727726_2nd_RCE.wsp